
PREPARED ESPECIALLY FOR

ADVANCE AUTO PARTS

SITE #: 8663
3420 Preston Hwy.
Louisville, KY 40213

YOUR PARTNER IN BUILDING AN **OUTSTANDING** IMAGE

image national signs
...bringing your image to light!



AERIAL VIEW
SCALE: N.T.S.

DESIGN SIGN STATUS - MAIN ID WALL SIGNS		
SIGN #	LOCATION	SIGN TYPE
1	EAST ELEVATION	CHANNEL LETTERS - ILLUMINATED ON RACEWAY
2	WEST ELEVATION	CHANNEL LETTERS - ILLUMINATED ON RACEWAY

DESIGN SIGN STATUS - FREESTANDING SIGNS		
3	PRESTON HWY.	D/F PYLON SIGN - ILLUMINATED

REVISIONS

R1)_____
R2)_____
R3)_____
R4)_____

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

ADVANCE AUTO PARTS


Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213

File: AAP-8663-LOUISVILLE KY-090926 | Version: 1 | Date: 09/09/26
Designer: DJ | Reviewed by:
Account Manager: SR | Engineer:
Page 2 of 8

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 1 ILLUMINATED CHANNEL LETTERS - RACEWAY

SCALE: 3/16" = 1'-0"



APPROACH VIEW



GENERAL / INSTALLER NOTES:

- PAINTED BLACK BACKGROUND DONE BY OTHERS
- DIMENSIONS OF BLACK PAINT: 18'-5" X 50'-6"

CITY CODE & ALLOWANCES:


- UNDER 500 SF FACADE AREA: 20% OF FACADE / 500-999 SF FACADE AREA: 100 SF PLUS 15% OVER 500 / 1000-3499 SF FACADE AREA: 175 SF PLUS 5% OVER 1000 / 3500-4999 SF OF FACADE AREA: 300 SF / 5000 SF OR MORE FACADE AREA: 500 SF
- 69'-0" X 36'-0" = 2484 X .5 = 124.2 / 175 + 124.2 = 299.2

EXISTING SQ. FT.: ±461.9
ALLOWED SQ. FT.: 299.2
PROPOSED SQ. FT.: 207.8

SIGN DETAILS:

PART # or Information for Estimating


EXISTING CONDITIONS - EAST ELEVATION - PARTIAL



SCALE: 1" = 20'-0"

PROPOSED CONDITIONS





SIMULATED NIGHT VIEW

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.


Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213

File: AAP-8663-LOUISVILLE KY-090926		Version: 1	Date: 09/09/26
Designer: DJ	Reviewed by:		Page 3 of 8
Account Manager: SR	Engineer:		

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 2 ILLUMINATED CHANNEL LETTERS - RACEWAY

SCALE: 1/4" = 1'-0"



APPROACH VIEW



GENERAL / INSTALLER NOTES:

- PAINTED BLACK BACKGROUND DONE BY OTHERS
- DIMENSIONS OF BLACK PAINT: 6'-4" X 22'-6"

CITY CODE & ALLOWANCES:

- UNDER 500 SF FACADE AREA: 20% OF FACADE / 500-999 SF FACADE AREA: 100 SF PLUS 15% OVER 500 / 1000-3499 SF FACADE AREA: 175 SF PLUS 5% OVER 1000 / 3500-4999 SF OF FACADE AREA: 300 SF / 5000 SF OR MORE FACADE AREA: 500 SF
- 69'-0" X 36'-0" = 2484 X .5 = 124.2 / 175 + 124.2 = 299.2

EXISTING SQ. FT.: ±85.0
ALLOWED SQ. FT.: 299.2
PROPOSED SQ. FT.: 81.0

SIGN DETAILS:


PART # AAP-CL-RWY-30-W

EXISTING CONDITIONS - WEST ELEVATION



SCALE: 3/16" = 1'-0"

PROPOSED CONDITIONS





SIMULATED NIGHT VIEW

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

ADVANCE AUTO PARTS

Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213

File: AAP-8663-LOUISVILLE KY-090926		Version: 1	Date: 09/09/26
Designer: DJ	Reviewed by:		Page 4 of 8
Account Manager: SR	Engineer:		

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 3 D/F TENANT PANEL REFACE, PAINT & LED RETROFIT

SCALE: 3/8" = 1'-0"

V



EXISTING CONDITIONS - PRESTON HWY.



PROPOSED CONDITIONS



SCALE: 1/8" = 1'-0"

APPROACH VIEW



GENERAL / INSTALLER NOTES:

- INSTALLER TO PAINT EXISTING CABINET/UPRIGHT IN THE FIELD.
- INSTALL NEW LED IN CABINET.

CITY CODE & ALLOWANCES:

- 100 SF

EXISTING SQ. FT.: ±45.0
ALLOWED SQ. FT.: 100.0
PROPOSED SQ. FT.: 45.0


EXISTING OAH:
ALLOWED OAH: 22'-0"
PROPOSED OAH: 22'-0"

SIGN DETAILS:

PART # POLYCARBONATE FACE

VERIFICATION REQUIRED:

- SURVEY REQUIRED



SIMULATED NIGHT VIEW

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

ADVANCE AUTO PARTS

Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213


File: AAP-8663-LOUISVILLE KY-090926		Version: 1	Date: 09/09/26
Designer: DJ	Reviewed by:		Page 5 of 8
Account Manager: SR	Engineer:		

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 1 ILLUMINATED CHANNEL LETTERS - RACEWAY

207.8 SQ. FT.

SCALE: 3/16" = 1'-0"



FABRICATION SPECIFICATIONS

1	CHANNEL	FACE	WHITE ACRYLIC
		TRIM CAP	1"
		TRIM CAP COLOR	BLACK
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PRE-PAINTED BLACK
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
2	LOGO/FLAG	FACE	WHITE ACRYLIC
		FACE COLOR	PER COLOR KEY
		TRIM CAP	1"
		TRIM CAP COLOR	BLACK
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PRE-PAINTED BLACK
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
3	BAR	FACE	YELLOW ACRYLIC
		TRIM CAP	1"
		TRIM CAP COLOR	YELLOW
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PER COLOR KEY
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
4	RACEWAY	MATERIAL	EXTRUDED ALUMINUM
		PAINT COLOR	PER COLOR KEY

GENERAL NOTES

COLOR KEY

P1	PAINT	BLACK
P2	PAINT	PANTONE YELLOW C
V1	VINYL	3M 3630-22 BLACK


NOTE: THE COLORS DEPICTED ON THIS RENDERING REPRESENT COLOR INTENT ONLY AND MAY NOT MATCH ACTUAL COLORS ON FINISHED PRODUCT. PLEASE REFER TO COLOR CALL-OUTS AND SPECIFIED VENDOR SAMPLES FOR APPROVED COLOR SPECIFICATIONS.

SHIPPING LIST

MATERIAL	QTY.
1/2" FLEX CONDUIT	12 LF
1/2" FLEX CONNECTORS	4 EA
TOUCH UP PAINT	1 EA

ELECTRICAL REQUIREMENTS

VOLTS	120	AMP		CIRCUIT	1



TYPICAL SECTION DETAIL

SCALE: ¾" = 1'-0"

INSTALL

A. Non-Corrosive Securement Using Appropriate Mounting Hardware
B. Blocking as Required per Location
C. Disconnect Switch at End of Raceway
D. 1/4" Drain Holes Required in Letter Returns & Retainers
E. 20 amp 120 V. Circuits Required

APPROVED FASTENER SCHEDULE

	3/8" - 1/2" LAG SCREW	FOR USE WITH WOOD OR EIFS WALL SYSTEMS. 1 1/2" MIN PENETRATION (EXCLUDING TIP)
	1/4" - 3/8" THREADED ROD	FOR USE WITH WOOD, CONCRETE BLOCK OR EIFS WALL SYSTEMS
	3/8" RED HEAD L.D.T. (LARGE DIAMETER TAPCON)	FOR USE WITH CONRETE BLOCK, BRICK OR CONCRETE. EMBED A MIN. OF 2 1/2".
	3/8" DIA. HILTI HIT ROD WITH HY150 MAX ADHESIVE	FOR USE WITH CONRETE. EMBED A MIN. OF 2"
	3/8" DIA. HILTI HIT ROD WITH HY20 ADHESIVE	FOR USE WITH MASONRY AND BRICK. EMBED A MIN. OF 3 3/8"
	3/8" DIA. HILTI HIT ROD WITH HY20 ADHESIVE	FOR USE WITH CONCRETE BLOCK. EMBED A MIN. OF 2"
	3/8" DIA. HILTI HCL SLEEVE ANCHOR	FOR USE WITH CONCRETE, MASONRY AND BRICK. EMBED A MIN. OF 3 3/8".
	3/8" DIA. LAG WITH 3/8" SHIELD & WASHER	FOR USE WITH CONCRETE, MASONRY AND BRICK - EMBED A MIN. OF 2"
	#10 (3") HEX SCREW W/ FENDER WASHER INTO PLASTIC WALL ANCHOR	USE WITH CONCRETE, MASONRY & BRICK. FOR USE WITH SMALL/LIGHTWEIGHT LETTERS & CABINETS

MANUFACTURING REVISIONS

	ECO #	DESCRIPTION - INITIALS
A		
B		
C		

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213


File: AAP-8663-LOUISVILLE KY-090926		Version: 1	Date: 09/09/26
Designer: DJ	Reviewed by:		Page 6 of 8
Account Manager: SR	Engineer:		

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 1

ILLUMINATED CHANNEL LETTERS - RACEWAY

SCALE: 1/4" = 1'-0"



FABRICATION SPECIFICATIONS

1	CHANNEL	FACE	WHITE ACRYLIC
		TRIM CAP	1"
		TRIM CAP COLOR	BLACK
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PRE-PAINTED BLACK
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
2	LOGO/FLAG	FACE	WHITE ACRYLIC
		FACE COLOR	PER COLOR KEY
		TRIM CAP	1"
		TRIM CAP COLOR	BLACK
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PRE-PAINTED BLACK
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
3	BAR	FACE	YELLOW ACRYLIC
		TRIM CAP	1"
		TRIM CAP COLOR	YELLOW
		RETURN DEPTH	5"
		RETURNS	.040 OR .050
		RETURN COLOR	PER COLOR KEY
		BACKS	3MM ACM
		ILLUMINATION	WHITE LED
4	RACEWAY	MATERIAL	EXTRUDED ALUMINUM
		PAINT COLOR	PER COLOR KEY

GENERAL NOTES

COLOR KEY

P1	PAINT	BLACK
P2	PAINT	PANTONE YELLOW C
V1	VINYL	3M 3630-22 BLACK


NOTE: THE COLORS DEPICTED ON THIS RENDERING REPRESENT COLOR INTENT ONLY AND MAY NOT MATCH ACTUAL COLORS ON FINISHED PRODUCT. PLEASE REFER TO COLOR CALL-OUTS AND SPECIFIED VENDOR SAMPLES FOR APPROVED COLOR SPECIFICATIONS.

SHIPPING LIST

MATERIAL	QTY.
1/2" FLEX CONDUIT	12 LF
1/2" FLEX CONNECTORS	4 EA
TOUCH UP PAINT	1 EA

ELECTRICAL REQUIREMENTS

VOLTS	120	AMP		CIRCUIT	1



TYPICAL SECTION DETAIL

SCALE: ¾" = 1'-0"

INSTALL

A. Non-Corrosive Securement Using Appropriate Mounting Hardware
B. Blocking as Required per Location
C. Disconnect Switch at End of Raceway
D. 1/4" Drain Holes Required in Letter Returns & Retainers
E. 20 amp 120 V. Circuits Required

APPROVED FASTENER SCHEDULE

	3/8" - 1/2" LAG SCREW	FOR USE WITH WOOD OR EIFS WALL SYSTEMS. 1 1/2" MIN PENETRATION (EXCLUDING TIP)
	1/4" - 3/8" THREADED ROD	FOR USE WITH WOOD, CONCRETE BLOCK OR EIFS WALL SYSTEMS
	3/8" RED HEAD L.D.T. (LARGE DIAMETER TAPCON)	FOR USE WITH CONRETE BLOCK, BRICK OR CONCRETE. EMBED A MIN. OF 2 1/2".
	3/8" DIA. HILTI HIT ROD WITH HY150 MAX ADHESIVE	FOR USE WITH CONRETE. EMBED A MIN. OF 2"
	3/8" DIA. HILTI HIT ROD WITH HY20 ADHESIVE	FOR USE WITH MASONRY AND BRICK. EMBED A MIN. OF 3 3/8"
	3/8" DIA. HILTI HIT ROD WITH HY20 ADHESIVE	FOR USE WITH CONCRETE BLOCK. EMBED A MIN. OF 2"
	3/8" DIA. HILTI HCL SLEEVE ANCHOR	FOR USE WITH CONCRETE, MASONRY AND BRICK. EMBED A MIN. OF 3 3/8".
	3/8" DIA. LAG WITH 3/8" SHIELD & WASHER	FOR USE WITH CONCRETE, MASONRY AND BRICK - EMBED A MIN. OF 2"
	#10 (3") HEX SCREW W/ FENDER WASHER INTO PLASTIC WALL ANCHOR	USE WITH CONCRETE, MASONRY & BRICK. FOR USE WITH SMALL/LIGHTWEIGHT LETTERS & CABINETS

MANUFACTURING REVISIONS

	ECO #	DESCRIPTION - INITIALS
A		
B		
C		

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

ADVANCE AUTO PARTS

Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213

File: AAP-8663-LOUISVILLE KY-090926		Version: 1	Date: 09/09/26
Designer: DJ	Reviewed by:		Page 7 of 8
Account Manager: SR	Engineer:		

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.

Sign 3 D/F TENANT PANEL REFACE, PAINT & LED RETROFIT

SCALE: 3/8" = 1'-0"

V



FABRICATION SPECIFICATIONS

1	CABINET	CONSTRUCTION	EXISTING CABINET
		TYPE	D/F
		PAINT COLOR	PER COLOR KEY
		PAINT INSTRUCTION	INSTALLER TO PAINT IN THE FIELD
		ILLUMINATION	TBD/EXISTING/QTY./LENGTH
2	FACE	MATERIAL	WHITE POLYCARBONATE
	INSTALLER NOTE	FIELD WORK	• INSTALLER IS RESPONSIBLE FOR DETERMINING IF HANGING BAR/BUMPER PAD IS REQUIRED AND IS TO BE PROVIDED BY THE INSTALLER.

GENERAL NOTES

- MANUFACTURE & INSTALL (2) NEW FACES FOR EXISTING D/F MONUMENT OR PYLON SIGN.

COLOR KEY

P1	PAINT	MP SOA929SP BLACK (GLOSS FINISH)
V1	VINYL	3M 7725-22 BLACK
V2	VINYL	3M 3630-015 TRANSLUCENT YELLOW

NOTE: THE COLORS DEPICTED ON THIS RENDERING REPRESENT COLOR INTENT ONLY AND MAY NOT MATCH ACTUAL COLORS ON FINISHED PRODUCT. PLEASE REFER TO COLOR CALL-OUTS AND SPECIFIED VENDOR SAMPLES FOR APPROVED COLOR SPECIFICATIONS.

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs
...bringing your image to light!
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020
imagenational.com

NAMPA PLANT - UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

ADVANCE AUTO PARTS

Site #: 8663
3420 Preston Hwy.
Louisville, KY 40213

File: AAP-8663-LOUISVILLE KY-090926 | Version: 1 | Date: 09/09/26

Designer: DJ | Reviewed by:

Account Manager: SR | Engineer:

© 2026 Image National, Inc. This design is an original work of authorship by Image National, Inc. (image) which owns the copyright protection by the copyright law of the United States (title 17, U.S. Code). All rights are reserved by image and, until the use of this design is authorized by image in writing, image owns the exclusive rights to: a) reproduce this design in copies, in graphic form or as a sign; b) prepare derivative works based upon the design; c) distribute copies of the design by sale or other transfer of ownership; and d) display the design publicly.